

INJSO - 2019

ROLL NO. – –

Indian National Junior Science Olympiad 2019

ANSWER KEY

Duration: Three Hours

Date: 02/02/2019

Maximum Marks: 180

Centre: _____

(Please do NOT write anything below)

Sec A [MCQ]	Correct (X)	Wrong (Y)	Not attempted	Marks(3X-Y)

Sec B [Theory]		Q 31	Q 32	Q 33	Q 34	Q 35	Total
	Marks						
	Marks						
	Marks						
		Q 36	Q 37	Q 38			
	Marks						
	Marks						
	Marks						

Total A + B _____

Instructions overleaf

INJSO - 2019

ROLL NO.

--	--	--	--

 –

--	--	--	--

 –

--	--	--	--

Instructions

- Use only black or blue pen in this answer sheet. **Do not use a pencil.**
- Graphs/Diagrams may be drawn with pencil or pen.
- Write your roll number on top of every page in the space provided.
- Before starting, ensure that you have received a copy of this Answer Sheet containing a total of 16 pages (16 sides on 8 sheets).
- Answers for Section A have to be marked in the boxes provided in page 3 of this Answer Sheet.
- For Section A, you have to indicate the answers by putting a 'X' in the appropriate box against the relevant question number, as indicated below:

Q. No.	(A)	(B)	(C)	(D)
22	☐	☒	☐	☐

Marking a cross ☒ means affirmative response (selecting the particular choice).

Do not use ticks or any other signs to mark the correct answers.

- Once marked, the answer should not be changed as far as possible. However in an extreme case, if you want to change the answer you can do so as shown below:

Q. No.	(A)	(B)	(C)	(D)
22	☐	☒	☐	☒

- For Section B, boxes are provided where you can show the calculations. Additional blank page is provided for rough work.
- In case you need extra space for rough work, you may request for additional blank sheets from the invigilator. Remember to write your roll number on the extra sheets and get them attached to your answer sheets.
- **This Answer Sheet must be returned to the invigilator.**

INJSO - 2019

ROLL NO. – –

SECTION A: ANSWER KEY

Q. No.	(A)	(B)	(C)	(D)	Q. No.	(A)	(B)	(C)	(D)
1.			X		16.				X
2.			X		17.	X			
3.	X				18.				X
4.	X				19.			X	
5.				X	20.			X	
6.				X	21.		X		
7.		X			22.				X
8.	X				23.			X	
9.			X		24.		X		
10.		X			25.				X
11.				X	26.				X
12.		X			27.		X		
13.		X			28.			X	
14.				X	29.				X
15.				X	30.	X			

	X	Y	Not attempted	
SECTION A				3X – Y =

INJSO - 2019

ROLL NO.

--	--	--	--

 –

--	--	--	--

 –

--	--	--	--

SECTION B: ANSWER KEY

QUESTION 31 (9 MARKS)

(A)

(1.5 MARKS)

a.	b.	c.	d.
		X	

(B)

(i) Value of the ratio obtained for plants in the sun: 1.71

(1.5 MARKS)

(ii) Value of the ratio obtained for plants in shade condition: 2.236 or 2.24

(1.5 MARKS)

(C)

(1.5 MARKS)

(i) The values obtained in (B) support Hypothesis 1: _____

(ii) The values obtained in (B) do not support Hypothesis 1: ____X____

(D)

(1.5 MARKS)

a.	b.	c.	d.
X			

(E)

(1.5 MARKS)

a.	b.	c.	d.
		X	

INJSO - 2019

ROLL NO.

--	--	--	--

 -

--	--	--	--

 -


--	--	--	--

QUESTION 32 (12 MARKS)

(A) Molar concentration of glucose in Rajesh's blood: 0.0055 or 0.0056

Show extrapolation in the graph and calculations in the box.

(3 MARKS)



Calculations:

MW of glucose = 180

180 gm in 1 litre = 1M

0.1 gm in 100 ml = 0.0055M


Alternate representations of the answer have been given marks.

INJSO - 2019

ROLL NO. - -

(B) Graph:

(3 MARKS)



(C) Answer: 120 mg% (118 – 122 mg% will be awarded full marks)

(2 MARKS)

(D) Answer: 78 mg% or $4.3 \times 10^{-4} M$

(4 MARKS)

INJSO - 2019

ROLL NO.

--	--	--	--

 –

--	--	--	--

 –

--	--	--	--

QUESTION 33 (9 MARKS)

(A)

i. Primary producer __Z__ (1.5 MARKS)

ii. Herbivore __Y__ (1.5 MARKS)

iii. Carnivore __X__ (1.5 MARKS)

(B)

(3 MARKS)

Calculations:

$$0.006 \times 200 = 1.2 \text{ g}$$

$$0.0025 \times 40 = 0.1 \text{ g}$$

$$\text{Hence } 0.1/1.2 \times 100 = 8.33 \%$$

Answer: 8.33%

(C) Answer: Day: 13-17 (0.5 MARK)

Activity: a (1 MARK)

INJSO - 2019

ROLL NO.

--	--	--	--	--

 –

--	--	--	--	--

 –

--	--	--	--	--

QUESTION 34 (13.5 MARKS)

(B) (i) KMnO_4 is an oxidising agent. (1.5 MARKS)

(ii) $\text{H}_2\text{C}_2\text{O}_4$ is a reducing agent. (1.5 MARKS)

(C) Calculate the number of moles of oxalic acid reacted with the KMnO_4 . (3 MARKS)

Calculations:

$$17.8 \times 10^{-3} \times 0.1 \times 5/2 = 4.45 \times 10^{-3} \text{ Moles of Oxalic acid}$$

Answer: 4.45×10^{-3} moles of oxalic acid

(D) Calculate the mass (in g) of CaCO_3 in the original sample. (2 MARKS)

Calculations:

$$100 \times 4.45 \times 10^{-3}$$

Answer: 0.445 g of CaCO_3

(E) Find the percent (%) of Na_2SO_4 present in the original sample. (2 MARKS)

Calculations:

$$(0.626 - 0.445) = 0.181 \text{ g}$$

$$(100 \times 0.181) / 0.626 = 28.9\% \text{ or } 29\%$$

Answer: 28.9 or 29%

INJSO - 2019

ROLL NO.

--	--	--	--	--

 –

--	--	--	--	--

 –

--	--	--	--	--

QUESTION 35 (6 MARKS)

(A) The heat absorbed by the water.

(4 MARKS)

Calculations:

$$q = (\text{specific heat}) \times m \times \Delta t$$

Where q is heat absorbed by the water,

m is mass of water in grams = 90 g

 Δt is the temperature change = $30.5 - 29 = 1.5^\circ\text{C}$

$$q_{\text{water}} = [4.18 (\text{J/g}\cdot^\circ\text{C}) \times 90 \text{ g} \times 1.5^\circ\text{C}] = 564.3 \text{ J}$$

Answer: $q_{\text{water}} = 564.3 \text{ J}$ OR 135 cal OR 567 J(B) Heat evolved during the reaction of 17 g OH^- with 1 g H^+ .

(2 MARKS)

Calculations:

$$17 \text{ g } \text{OH}^- \equiv 1 \text{ mole } \text{OH}^-$$

$$\text{and } 1 \text{ g } \text{H}^+ \equiv 1 \text{ mole } \text{H}^+.$$

when 0.010 mol of H^+ and OH^- reacts, heat evolved is -564.3 J Hence 1 mole of H^+ and 1 mole OH^- on reacting may evolve

$$-564.3 / 0.01 = -56430 \text{ J} = -56.43 \text{ kJ}$$

Answer: – or + 56.43 kJ OR 56.7 kJ OR 13500 cal

INJSO - 2019

ROLL NO. – –

QUESTION 36 (10.5 MARKS)

- (A) Calculate the number of moles of carbon atoms present in 100g of compound. (2 MARKS)

Calculations:

$$\frac{(85.7 \text{ g C})(1\text{mol of C})}{(12.0 \text{ g C})} = 7.14 \text{ mol C}$$

Answer: 7.14 mol C

- (B) Calculate the number of moles of hydrogen atoms present in 100g of compound. (2 MARKS)

Calculations:

$$\frac{(14.3 \text{ g H})(1\text{mol of H})}{(1.008 \text{ g H})} = 14.2 - 14.3 \text{ mol H}$$

Answer: 14.2mol

- (C) The empirical formula of the compound is : CH₂ (1 MARK)

- (D) Moles /Litre of the compound at NTP = 0.04065 OR 0.0409 (2 MARKS)

Calculations:

$$n = PV/RT = \frac{(1.00 \text{ atm}) (1.00 \text{ L})}{(0.0820 \text{ L atm K}^{-1} \text{ mol}^{-1})(300 \text{ K})} = 0.04065 \text{ mol}$$

Temperature of 273K will be considered for partial marks.

- (E) Empirical formula units = 4 (2 MARKS)

- (F) Molecular formula : C₄H₈ (1.5 MARKS)

ROLL NO.

--	--	--	--

 –

--	--	--	--

 –

--	--	--	--

The diagram shows a composite shape on a horizontal axis. The shape consists of a green trapezoid and a gray rectangle. The trapezoid has a top base of 24 inches, a bottom base of 36 inches, and a height of 3 inches. The rectangle has a width of 12 inches and a height of 3 inches. The total width of the shape is 48 inches, and the total height is 3 inches. The shape is positioned on a horizontal axis with a zero point on the right.

Object distance, u''	18	20	21	24	27	30
Image distance, v''	36	30	28	24	$\frac{108}{5}$	20
Linear magnification, $m = \frac{v}{u}$	2	1.5	$\frac{4}{3}$	1	0.8	$\frac{2}{3}$
Size of image, $I = (m.3)''$	6	4.5	4	3	2.4	2

Alternate solutions may exist. Correct methods to draw the image on the grid will be credited accordingly.

INJSO - 2019

ROLL NO.

--	--	--	--

 –

--	--	--	--

 –

--	--	--	--

QUESTION 38 (18 MARKS)

(A) (4 MARKS)

(i) Variable on x axis (X) : $L + e$ (ii) Variable on y axis (Y) : $\frac{1}{f}$

Any correct set of variables which produces linear graph will be equally credited (for example $4(L + e)$ vs $1/f$ etc.).


(B) Table: (2 MARKS)

No.	Frequency f (Hz)	$L(\text{cm})$	X ($L + e$) ($\times 10^{-2} \text{ m}$)	Y ($\frac{1}{f}$) ($\times 10^{-3} \text{ Hz}^{-1}$)
1	400	19.9	21.4	2.50
2	500	16.0	17.5	2.00
3	750	10.0	11.5	1.33
4	1000	7.5	9.00	1.00
5	1250	5.1	6.60	0.80

INJSO - 2019

ROLL NO. - -

(C) Graph:



INJSO - 2019

ROLL NO.

--	--	--	--	--

 –

--	--	--	--	--

 –

--	--	--	--	--

Calculations:

$$\frac{1}{f} = \frac{4}{c}(L + e)$$

Where c is the speed of sound. For the plotted graph:

$$\text{Slope of the graph} = \frac{4}{c} = 1.18 \times 10^{-2} (\text{Hz} \cdot \text{m})^{-1}$$

$$\text{Speed of sound in air } c = 3.39 \times 10^2 \text{ m/s}$$

$$\text{Range of slope} = 0.0124 - 0.0108 (\text{Hz} \cdot \text{m})^{-1}$$

(D) Speed of sound in air = $3.23 \times 10^2 - 3.70 \times 10^2$ m/s

(3 MARKS)

***** END OF SECTION B *****